TRIALLING A RESILIENCE ASSESSMENT FRAMEWORK ON CENTRAL AUCKLAND'S CRITICAL ROAD NETWORK

PROJECT #88

NATASHA MUDALIAR & SANDRA PANG The University of Auckland Department of Civil and Environmental Engineering

What is Resilience?

The concept of resilience is wider than natural disasters and covers the capacity of public, private and civic sectors to withstand disruption, absorb disturbance, act effectively in a crisis, adapt to changing conditions, including climate change, and grow over time. – (NIU, 2011, p. 14)

Why is Resilience Important?



Indonesian Tsunami 2018

Christchurch Earthquake 2011

Resilience Assessment Framework



Source: Hughes, 2016

Source: Brabhaharan, 2016

Resilience Assessment Process



Creating a Network





Create Assess Hazard Assess Hazard Route Assess Prioritise Network Criticality Exposure Routes Impact Performance Resilience Prioritise

Criticality Assessment





Create Assess Hazard Assess Hazard Route Assess Prioritise Network Criticality Exposure Routes Impact Performance Resilience Prioritise

Criticality Assessment





Hazard Exposure





Rain Storm



Earthquake



Hazard Exposure





Tsunami



Storm Surge



Hazard Exposure







Source: Auckland Council Geo Maps, AELG Critical Sites Transport Sector Liquefiable Soils A1

Routes/ Links to Assess



Routes/ Links to Assess

- Ngapipi Road
- Queen Street
- Tamaki Drive

Assess

Create

Network

Lagoon Drive

- Quay Street
- Remuera Road

Assess

Resilience

Prioritise

- Jellicoe Road
- Parnell Rise

Route

Performance

Onehunga Harbour

Hazard

Exposure

Routes

Hazard

Impact

Tamaki Drive



Tamaki Drive



Hazard Impact





- Flat
- Windy
- Low lying
- Close to sea
- Slopes
- Bridge

Physical Road Characteristics



Hazard Impact



In the event of a tsunami, the bridge will be destroyed, disrupting connectivity to the rest of the road. – Focus Group Discussion



Table 1 Resilience states

Resilience State	Description of State
Damage state	Damage State represents the severity of damage to the road and represents the damage and cost of damage repairs.
Availability state	Availability State indicates whether the road section would be able to be used either at full level, at various reduced levels or not at all. This gives an indication of the degree of access on a link after an event.
Outage state	Outage State indicates the duration over which the road will be in the Availability State above. This gives an indication of the duration of loss or reduced access in links along the road network.

Source: Brabhaharan 2016





Hazard Focus: Immediately after tsunami

Availability Level Availability State Availability Description Full access. Road returns to normal operational Full 1 state. Available for slow access, but with difficulty by normal vehicles due to partial lane blockage, 2 Poor erosion or deformation. Temporary signalised lights or stop-go signage established. Single lane access only with difficulty due to poor condition of remaining road. Limited service with no **Partial Carriageway** traffic lights, stop-go signage established. 3 Closure Partial access due to a portion of carriageway remaining closed. Road accessible single lane by only 4x4 off road Difficult vehicles Road closed and unavailable for use. 5 Closed

Adapted from : Brabhaharan 2016

Create Assess Network Criticality Assess Routes

Hazard

Exposure

Hazard Impact

Route Assess Performance Resilience

Prioritise



Outage Level	Outage State	Damage Description		
1	Open	No closure, except for maintenance		
2	Minor	Condition persists for up to 1 day		
3Moderate4Short term		Condition persists for 1 day to 3 days		
		Condition persists for 3 days to 3 weeks		
5	Medium term	Condition persists for 3 weeks to 3 months		
6	Long term	Condition persists for > 3 months		





			Outage State & Level						
Disruption State			Open	Minor	Moderate	Short Term	Medium Term	Long Term	
			1	2	3	4	5	6 🕇	
te	Full	1	None	None	None	None	None	None	
ability Staf & Level	Poor	2	None	Limited	Limited	Limited	Moderate	High	
	Single Lane	3	None	Limited	Limited	Moderate	High	Severe	
Avail	Difficult	4	None	Limited	Limited	Moderate	High	Severe	
	Closed	5	None	Limited	Moderate	High	Severe	Extreme	

Adapted from : Brabhaharan 2016





Disruption Level	Disruption State
0	None
1	Limited
2	Moderate
3	High
4	Severe
5	Extreme

Adapted from : Brabhaharan 2016





	Tamaki Dr (Judges Bay to Paratai North Reserve)								Criticality	3
	1 Day 3 Days 3 Days to 3 Weeks			3 Weeks to 3 Months		>3 Months				
Natural Hazard	Availability	Outage	Availability	Outage	Availability	Outage	Availability	Outage	Availability	Outage
_	5	6	5	6	5	6	5	6	5	6
	Disruption State & Level									
Tsunami	Extreme - 5									
-		Restance Suit								
	Robust Terfal									









Resilience Assessment



Desilience State			Road Criticality Level							
ĸe	smence state		1 2		3	4	5			
	None 0		Acceptable	Acceptable	Acceptable	Acceptable	Acceptable			
r la	Limited 1		Acceptable	Acceptable	Acceptable	Acceptable	Acceptable			
ptio & Le	Moderate	2	Minor Shortfall	Acceptable	Acceptable	Acceptable	Acceptable			
isru ite 8	High	3	Moderate Shortfall	Minor Shortfall	Acceptable	Acceptable	Acceptable			
D	Severe	4	Major Shortfall	Moderate Shortfall	Minor Shortfall	Acceptable	Acceptable			
	Extreme	5	Severe Shortfall	Major Shortfall	Moderate Shortfall	Minor Shortfall	Acceptable			

Note: Resilience State matrix still needs to be validated by Auckland Transport.



Resilience Assessment



	Tamaki Dr (Judges Bay to Paratai North Reserve)								Criticality	3	
	1 Day 3 Days 3 Days to 3 Weeks			3 Weeks to 3 Months		>3 Months					
Natural Hazard	Availability	Outage	Availability	Outage	Availability	Outage	Availability Outage		Availability	Outage	
	5	6	5		5	6	5	6	5	6	
		Disruption State & Level									
Tsunami	Fxtreme - 5										
		Resilience State									
	Moderate Shortfall										

Note: Resilience State still needs to be validated by Auckland Transport.



Resilience Assessment



Tsunami							
Road Name	Resilience State						
Parnell Rise (Lower end of Parnell Rise) Parnell Rise	Acceptable						
(Upper end of Parnell Rise)							
Quay St (East)	Minor Shortfall						
Quay St (West)	Minor Shortfall						
Ngapipi Rd	Acceptable						
Tamaki Dr (Judges Bay to Paratai North Reserve)	Moderate Shortfall						
Tamaki Dr (Paratai North Reserve to Okahu Bay)	Minor Shortfall						
Tamaki Dr (Okahu Bay to St Heliers)	Minor Shortfall						
Queen St (Victoria St to Britomart)	Acceptable						
Queen St (K Rd to Victoria St)	Acceptable						
Lagoon Dr	Acceptable						
Jellicoe Rd	N/A						
Remuera Rd	N/A						
Onehunga Harbour	Minor Shortfall						

Note: Resilience States still need to be validated by Auckland Transport.

Create Network

Hazard Criticality Exposure

Assess

Assess Routes Hazard Impact

Route Assess Performance Resilience

Prioritise

Prioritisation



Create Assess Hazard Assess Hazard Route Assess Prioritise Network Criticality Exposure Routes Impact Performance Resilience Prioritise

Conclusions & Recommendations



Acknowledgements

Supervisor: Associate Professor Seosamh Costello Auckland Transport: May Oo



Questions

Thank you